



NOTES:

1. UTILITIES WILL BE BORED UNDER PAVED ROADS THAT HAVE PAVEMENT THAT HAS BEEN IN PLACE LESS THAN FOUR (4) YEARS. FOR PAVED ROADS WITH PAVEMENT FOUR YEARS OR MORE IN AGE AND FOR UNPAVED ROADS, THE REQUIREMENT FOR BORING VERSUS OPEN CUT WILL BE MADE BY THE COMMISSIONER OF THE PRECINCT.
2. THE LIMITS OF THE PAVEMENT REPLACEMENT WILL BE DETERMINED AT THE TIME A PERMIT IS REVIEWED AND MUST BE SAW CUT.
3. CONDUIT CASING TO BE PROVIDED AND INSTALLED BY UTILITY COMPANY FOR ALL UTILITIES. THE CONDUIT CASING SHALL EXTEND A MINIMUM OF FIVE FEET OUTSIDE THE EDGE OF SHOULDER OR CURBING.
4. LOCATOR WIRE IS REQUIRED ON ALL UTILITIES, TAPED TO THE TOP OF PIPE.
5. THE UTILITY COMPANY WILL BE RESPONSIBLE FOR THE MAINTENANCE OF THE STREET CUT THEREAFTER UNTIL AND IF THE COUNTY REMOVES THE STREET CUT THROUGH RECONSTRUCTION.
6. SEE MEDINA COUNTY BURIED UTILITY PIPE SPECIFICATION FOR MORE REQUIREMENTS.

UNDERGROUND UTILITY PIPE DETAIL	
COUNTY OF MEDINA	
Standard Detail	
DWG NO.:	REVISED:
SCALE:	SHEET 1 OF 1